



Application
Number

SEARCH

IDS Flag Clearance for Application 10606314

IDS
Information

| Content | Mailroom Date | Entry Number | IDS Review | Reviewer |
|---------|---------------|-----------------|-------------------------------------|------------------------------|
| M844 | 06-23-2003 | 9 | <input checked="" type="checkbox"/> | 05-11-2004 21:46:28 rtalbert |
| M844 | 07-29-2003 | 11 | <input checked="" type="checkbox"/> | 05-11-2004 21:46:54 rtalbert |
| M844 | 05-05-2004 | 16 | <input checked="" type="checkbox"/> | 08-12-2004 13:07:40 dscott |

UPDATE

10/606,314

INTERFERENCE SEARCH HISTORY PRINTOUT.

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|---|----------|------------------|
| 1 | BRS | L1 | 0 | (hat or headwear or cap or helmet or (hard near head)) and ((visor or bill or brim) and (black light)).ccls. | US-PGPUB | 2005/12/30 15:04 |
| 2 | BRS | L2 | 0 | (hat or headwear or cap or helmet or (hard near head)) and ((visor or bill or brim) with (black light)).ccls. | US-PGPUB | 2005/12/30 15:04 |

| | Type | Hits | Search Text | DBs |
|----|------|--------|---|---|
| 1 | BRS | 6946 | 362/103-106,84,184,190,191,800,806,276,234,237,252.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | BRS | 597469 | hat or headwear or cap or helmet or (hard near head) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | BRS | 1223 | 362/103-106,84,184,190,191,800,806,276,234,237,252.ccls. and (hat or headwear or cap or helmet or (hard near head)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | BRS | 70 | 362/103-106,84,184,190,191,800,806,276,234,237,252.ccls. and (hat or headwear or cap or helmet or (hard near head)) and visor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | BRS | 3637 | (hat or headwear or cap or helmet or (hard near head)) and bill | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | BRS | 5059 | (hat or headwear or cap or helmet or (hard near head)) and visor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 7 | BRS | 8299 | ((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 8 | BRS | 3053 | (((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (light or (light near source)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | BRS | 893 | (((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (illumin\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | BRS | 3099 | ((((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (light or (light near source))) or (((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (illumin\$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | BRS | 28 | (((((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (light or (light near source))) or (((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (illumin\$6))) and (black near light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | BRS | 31 | 362/103-106,84,184,190,191,800,806,276,234,237,252.ccls. and (hat or headwear or cap or helmet or (hard near head)) and bill | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 13 | BRS | 40 | ("1255265" "2638532" "2904670" "3032647" "3040881" "3060308" "3123208" "3184058" "3350552" "4005776" "4283127" "4669610" "4959760" "D316932" "5060814" "5218385" "5230558" "5249675" "D349123" "5331357" "5404593" "5423419" "5485358" "5510961" "5541767" "5667292" "5722762" "5730290" "5741060" "5836673" "D407187" "5946071" "5997165" "6012827" "6032293" "D428431" "6168286" "6206543" "6345716" "6382407").PN. | USPAT |
| 14 | BRS | 0 | "6659618".URPN. | USPAT |
| 15 | BRS | 0 | "6659618".URPN. | USPAT |

| | | | | |
|----|-----|----|------------------------------------|--|
| 16 | BRS | 55 | 362/103-106.ccls. and 362/84.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
|----|-----|----|------------------------------------|--|

| | Type | Hits | Search Text | DBs |
|----|------|-------|--|---|
| 17 | BRS | 2747 | photoluminescent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | BRS | 150 | photoluminescent and chemiluminescent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 19 | BRS | 20 | photoluminescent and chemiluminescent and electroluminescent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 20 | BRS | 6320 | ((hat or headwear or cap or helmet or (hard near head)) and (bill or brim) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 21 | BRS | 10655 | ((hat or headwear or cap or helmet or (hard near head)) and (bill or brim or visor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 22 | BRS | 6208 | ((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 23 | BRS | 1767 | (((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and light | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | BRS | 24 | (((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and (black near4 light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 25 | BRS | 2 | (((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and chemiluminescent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | BRS | 0 | (((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and 362/34.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS | 7143 | 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | BRS | 1267 | ((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | BRS | 68 | ((hat or headwear or cap or helmet or (hard near head)) and 362/34.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 30 | BRS | 11 | ((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and (black adj light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 31 | BRS | 105 | ((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and ((black adj light) or Phosphor\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 32 | BRS | 0 | ((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and ((black adj light) with Phosphor\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 33 | BRS | 5 | ((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and ((black adj light) with fluoresc\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 34 | BRS | 228 | ((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and (phosphorescent or fluorescent) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | BRS | 8 | ((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and (phosphorescent or fluorescent) and (black adj light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|--------|--|--|
| 36 | BRS | 227 | ((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and (phosphorescent or fluorescent) and light | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 37 | BRS | 5171 | (black adj light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 38 | BRS | 45 | 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls. and ((black adj light)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 39 | BRS | 439 | (hat or headwear or cap or helmet or (hard near head)) and ((black adj light)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 40 | BRS | 12 | ((hat or headwear or cap or helmet or (hard near head)) and (bill or brim)) and ((black adj light)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 41 | BRS | 135129 | light near emit\$5 near diod\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 42 | BRS | 460621 | (light near emit\$5 near diod\$4) or "LED" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 43 | BRS | 2187 | ((light near emit\$5 near diod\$4) or "LED") with black | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 44 | BRS | 126 | ((light near emit\$5 near diod\$4) or "LED") with (black near light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 45 | BRS | 0 | ((((light near emit\$5 near diod\$4) or "LED") with (black near light)) and ((hat or headwear or cap or helmet or (hard near head)) and (bill or brim)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 46 | BRS | 5 | ((((light near emit\$5 near diod\$4) or "LED") with (black near light)) and (hat or headwear or cap or helmet or (hard near head)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 47 | BRS | 1 | "386509".ap. | US-PGPUB |
| 48 | BRS | 26676 | "362"/ "30,551,554,556,555""."558,570".ccls. | US-PGPUB |
| 49 | BRS | 6764 | ("362"/ "30,551,554,556,555""."558,570".ccls.) and (hat or headwear or cap or helmet or (hard near head)) | US-PGPUB |
| 50 | BRS | 112 | ("362"/ "30,551,554,556,555""."558,570".ccls.) and ((hat or headwear or cap or helmet or (hard near head)) and (bill or brim)) | US-PGPUB |
| 51 | BRS | 29123 | (light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic) | US-PGPUB |
| 52 | BRS | 3493 | ((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and (hat or headwear or cap or helmet or (hard near head)) | US-PGPUB |
| 53 | BRS | 94 | ((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and ((hat or headwear or cap or helmet or (hard near head)) and (bill or brim)) | US-PGPUB |
| 54 | IS&R | 1 | ("5570946").PN. | USPAT; USOCR |
| 55 | IS&R | 2 | ("6733150").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 56 | BRS | 8 | ("1187672" "5357409" "5485358" "5510961" "5667292" "5758947" "6044495" "6390640").PN. | USPAT |
| 57 | IS&R | 1 | ("5510961").PN. | USPAT; USOCR |
| 58 | BRS | 7 | ("D266712" "D318338" "3749902" "4231079" "4525878" "4901211" "4999747").PN. | USPAT |

| | Type | Hits | Search Text | DBs |
|----|------|--------|---|--|
| 59 | IS&R | 2 | ("5809678").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 60 | BRS | 3 | ("2624141" "4814949" "5557869").PN. | USPAT |
| 61 | BRS | 3 | "5809678".URPN. | USPAT |
| 62 | BRS | 597470 | (hat or headwear or cap or helmet or (hard near head)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 63 | BRS | 820 | ((hat or headwear or cap or helmet or (hard near head))) with (bill or brill) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 64 | BRS | 0 | ((hat or headwear or cap or helmet or (hard near head))) with ((bill or brill) same chemiluminescent) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 65 | BRS | 1 | ((((hat or headwear or cap or helmet or (hard near head))) with (bill or brill)) and chemiluminescent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 66 | BRS | 4586 | ((hat or headwear or cap or helmet or (hard near head))) with (bill or brill or visor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 67 | BRS | 2 | ((((hat or headwear or cap or helmet or (hard near head))) with (bill or brill or visor)) and chemiluminescent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 68 | BRS | 2985 | (headwear or cap) and chemiluminescent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 69 | BRS | 42 | (headwear or cap) with chemiluminescent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 70 | IS&R | 1 | ("5921674").PN. | USPAT; USOCR |
| 71 | BRS | 25 | ("4231079" "4319308" "4559586" "4570206" "4760373" "4769629" "4875144" "4945458" "5040099" "5111366" "5184253" "5207500" "5329637" "5357361" "5357409" "5404593" "5416675" "5485358" "5510961" "5544027" "5559680" "5570946" "5680718" "5704707" "5722192").PN. | USPAT |
| 72 | BRS | 7 | "5921674".URPN. | USPAT |
| 73 | BRS | 3493 | ((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and (hat or headwear or cap or helmet or (hard near head)) | US-PGPUB |
| 74 | BRS | 2989 | ((((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and (hat or headwear or cap or helmet or (hard near head))) and light | US-PGPUB |
| 75 | BRS | 9 | ((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and ((cap or headwear or hat) with (Bill or brill)) | US-PGPUB |
| 76 | IS&R | 1 | ("6113244").PN. | USPAT; USOCR |
| 77 | BRS | 13 | ("4186429" "4231079" "4761720" "4891736" "4998186" "5327588" "5357409" "5416675" "5508900" "5544027" "5559680" "5588736" "5758947").PN. | USPAT |
| 78 | BRS | 2 | ("4521831" "5283911").PN. | USPAT |
| 79 | BRS | 11 | "5588736".URPN. | USPAT |
| 80 | BRS | 13 | ("4186429" "5111366" "5128844" "5147129" "5327587" "5404593" "5426792" "5559680" "5570946" "5588736" "5608919" "5743621" "5758947").PN. | USPAT |
| 81 | BRS | 2 | "5931559".URPN. | USPAT |
| 82 | BRS | 11 | "5588736".URPN. | USPAT |

| | Type | Hits | Search Text | DBs |
|-----|------|-------|---|---|
| 83 | IS&R | 1 | ("5323492").PN. | USPAT; USOCR |
| 84 | BRS | 2 | ("4061910" "5177812").PN. | USPAT |
| 85 | BRS | 10378 | (light near transmi\$6 near tub\$5) or (light near pipe) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 86 | BRS | 2381 | ((light near transmi\$6 near tub\$5) or (light near pipe)) with (light near source) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 87 | BRS | 535 | ((light near transmi\$6 near tub\$5) or (light near pipe)) with flexible | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 88 | BRS | 75 | ((light near transmi\$6 near tub\$5) or (light near pipe)) with flexible) with (light near source) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 89 | BRS | 0 | "1356047".URPN. | USPAT |
| 90 | BRS | 690 | flexible with (light near (tube or pipe)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 91 | BRS | 390 | flexible with (light near (tube or pipe)) and (light near source) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 92 | BRS | 70 | (flexible with (light near (tube or pipe)) and (light near source)) and (cap or hat or headwear) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 93 | BRS | 80 | (tubular or hollow) near (optic near (fiber or fibre)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 94 | BRS | 57666 | flexible near (tube or pipe) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 95 | BRS | 253 | (flexible near (tube or pipe)) same (light near transmi\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 96 | BRS | 5661 | (flexible near (tube or pipe)) with ((light near transmi\$6) near portion or part) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 97 | BRS | 284 | (flexible near (tube or pipe)) with ((light near transmi\$6) near portion or part) and (light near source) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 98 | BRS | 10 | ("1595023" "1707473" "2246836" "3275815" "3281586" "4513692" "4860179" "5126922" "5463535" "5463536").PN. | USPAT |
| 99 | BRS | 5 | ("2642519" "3707055" "3964441" "4208701" "4369486").PN. | USPAT |
| 100 | BRS | 19 | "4513692".URPN. | USPAT |
| 101 | BRS | 820 | ((hat or headwear or cap or helmet or (hard near head))) with (bill or brill) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 102 | BRS | 0 | (cap or hat or headwear) same ((bill or brill) with (light near (pipe or tube))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 103 | BRS | 0 | (cap or hat or headwear) and ((bill or brill) with (light near (pipe or tube))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 104 | BRS | 1 | (cap or hat or headwear) and ((bill or brill) same (light near (pipe or tube))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 105 | BRS | 5 | ((cap or hat or headwear) with (bill or brill)) and (light near (pipe or tube)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 106 | BRS | 6 | ("1016730" "1744777" "2788439" "4991068" "5485358" "5567038").PN. | USPAT |
| 107 | BRS | 6 | "5676449".URPN. | USPAT |
| 108 | IS&R | 1 | ("6499145").PN. | USPAT; USOCR |
| 109 | BRS | 6 | ("4211813" "5111366" "5177812" "5323492" "5570946" "5904017").PN. | USPAT |
| 110 | BRS | 1 | "6499145".URPN. | USPAT |
| 111 | BRS | 461 | 2/195 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | | | | |
|-----|-----|-----|----------------------------|--|
| 112 | BRS | 710 | 2/195.1,195.2,209.12.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
|-----|-----|-----|----------------------------|--|

| | Type | Hits | Search Text | DBs |
|-----|------|--------|--|---|
| 113 | BRS | 112 | 2/195.1,195.2,209.12.ccls. and (light\$4 or illumin\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 114 | BRS | 10146 | ((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 115 | BRS | 6674 | ((hollow or tube) with (fib\$4 near optic)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 116 | BRS | 15957 | ((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 117 | BRS | 788 | (((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same (slit or (axial split)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 118 | BRS | 1473 | (((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 119 | BRS | 0 | (((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split))) and "362"/\$ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 120 | BRS | 0 | (((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split))) and "40"/\$ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 121 | BRS | 0 | (((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split))) and "385"/\$ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 122 | BRS | 1266 | (((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split))) and (light or (light near source)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 123 | BRS | 101 | ((((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split))) and (light or (light near source))) and wrap\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 124 | BRS | 0 | "20040076387".URPN. | USPAT |
| 125 | BRS | 370 | 385/104.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 126 | IS&R | 1 | ("6499145").PN. | USPAT; USOCR |
| 127 | IS&R | 1 | ("6113244").PN. | USPAT; USOCR |
| 128 | BRS | 13 | ("4186429" "4231079" "4761720" "4891736" "4998186" "5327588" "5357409" "5416675" "5508900" "5544027" "5559680" "5588736" "5758947").PN. | USPAT |
| 129 | BRS | 1 | "6113244".URPN. | USPAT |
| 130 | BRS | 937 | ((headwear or cap or hat) and ((hollow or tube) with (fib\$4 near optic)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 131 | BRS | 140 | ((headwear or cap or hat) same ((hollow or tube) with (fib\$4 near optic)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 132 | BRS | 2 | ((headwear or hat) same ((hollow or tube) with (fib\$4 near optic)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 133 | BRS | 113706 | (fib\$4 near optic) or (light near pipe) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 134 | BRS | 1565 | ((headwear or cap or hat) same ((fib\$4 near optic) or (light near pipe)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|-----|------|------|---|---|
| 135 | BRS | 56 | (headwear or ((cap with (bill or brill) or hat))) same ((fib\$4 near optic) or (light near pipe)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 136 | IS&R | 1 | ("5404593").PN. | USPAT; USOCR |
| 137 | BRS | 5 | ("3675005" "4667274" "5053929" "5111366" "5147129").PN. | USPAT |
| 138 | BRS | 10 | "5404593".URPN. | USPAT |
| 139 | BRS | 16 | ("1146979" "4525878" "4551857" "4901211" "4991068" "5088127" "5404593" "5510961" "5541816" "5680718" "5741060" "5743621" "6032291" "6032293" "6168286" "6244721").PN. | USPAT |
| 140 | BRS | 0 | "6721962".URPN. | USPAT |
| 141 | BRS | 0 | "6721962".URPN. | USPAT |
| 142 | IS&R | 1 | ("6416198").PN. | USPAT; USOCR |
| 143 | BRS | 0 | 362/551,554-556.ccls. and (hat or headwear or cap or helmet or (hard near head)) and bill | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 144 | BRS | 0 | 362/551,554-556.ccls. and (hat or headwear or cap or helmet or (hard near hat)) and bill | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 145 | BRS | 0 | 362/551,554-556.ccls. and (hat or headwear or cap or helmet or (hard near hat)) and (bill or brill) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 146 | BRS | 559 | ((bill or brill) with flexi\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 147 | BRS | 1202 | (bill or brill) with (light or illumin\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 148 | BRS | 81 | ((bill or brill) with (light or illumin\$6)) and (headwear or cap or hat) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 149 | BRS | 230 | ((bill or brill) with (light or illumin\$6)) and flex\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 150 | BRS | 194 | ((((bill or brill) with (light or illumin\$6)) and flex\$6) not (((bill or brill) with (light or illumin\$6)) and (headwear or cap or hat)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 151 | BRS | 1562 | (bill or brill) and (light or illumin\$6) and (cap or headwear or hat) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 152 | BRS | 7 | (flex\$5 near (bill or brill)) and (light or illumin\$6) and (cap or headwear or hat) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 153 | BRS | 31 | 362/103-106,84,184,190,191,800,806,276,234,237,252.ccls. and (hat or headwear or cap or helmet or (hard near hat)) and (brill or bill) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 154 | BRS | 640 | (bill or brill) and (light or illumin\$6) and (cap or headwear or hat) and switch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 155 | BRS | 330 | (bill or brill) and (light or illumin\$6) and (cap or headwear or hat) and switch and controller | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 156 | BRS | 249 | (bill or brill) and (light or illumin\$6) and (cap or headwear or hat) and switch and controller and adjust\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 157 | BRS | 241 | (bill or brill) and (light or illumin\$6) and (cap or headwear or hat) and switch and controller and adjust\$6 and indic\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 158 | BRS | 239 | (bill or brill) with (cap or headwear or hat) and (light or illumin\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 159 | BRS | 239 | ((bill or brill) with (cap or headwear or hat)) and (light or illumin\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 160 | BRS | 57 | (headwear or cap or hat) same ((bill or brim) with (transparent or (light near transmis\$6))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|-----|------|------|---|---|
| 161 | BRS | 4 | (headwear or cap or hat) same (((bill or brim) with (transparent or (light near transmiss\$6))) with indicia) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 162 | BRS | 4 | (headwear or cap or hat) and (((bill or brim) with (transparent or (light near transmiss\$6))) with indicia) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 163 | BRS | 6 | ("5778448" "5862522" "5908146" "5991927" "6315175" "6510972").PN. | USPAT |
| 164 | BRS | 0 | "6755329".URPN. | USPAT |
| 165 | BRS | 8 | (headwear or cap or hat) and (((bill or brim) with (transparent or (light near transmiss\$6))) with light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 166 | BRS | 180 | (headwear or cap or hat) and ((bill or brim) with light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 167 | BRS | 2 | (headwear or cap or hat) and ((bill or brim) same light same indicia) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 168 | BRS | 307 | (headwear or cap or hat) and ((bill or brim) same light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 169 | BRS | 16 | (headwear or cap or hat) and ((bill or brim) same light) and indicia | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 170 | BRS | 48 | (headwear or cap or hat) and (illuminat\$4 with (bill or brim)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 171 | BRS | 2 | Marston-jez.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 172 | BRS | 0 | (cap or headwear or hat) and ((flexible with (brim or bill)) with switch) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 173 | BRS | 19 | (cap or headwear or hat) and ((flexible same (brim or bill)) same switch) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 174 | IS&R | 1 | ("6733150").PN. | USPAT; USOCR |
| 175 | BRS | 5 | Hat or headwear or hat) same (((pivot\$4 with (brim or bill)) with light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 176 | BRS | 8 | ("1187672" "5357409" "5485358" "5510961" "5667292" "5758947" "6044495" "6390640").PN. | USPAT |
| 177 | BRS | 0 | "6733150".URPN. | USPAT |
| 178 | BRS | 0 | "6733150".URPN. | USPAT |
| 179 | BRS | 49 | Hat or headwear or hat) same ((pivot\$4 with (brim or bill)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 180 | BRS | 9 | ("D229525" "D258323" "1163054" "1581750" "1624727" "1704576" "2735109" "2749555" "3869727").PN. | USPAT |
| 181 | BRS | 6 | Hat or headwear or hat) same ((pivot\$4 with (brim or bill)) same light | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 182 | BRS | 0 | Hat or headwear or hat) same ((pivot\$4 adj (brim or bill)) same light | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 183 | BRS | 3 | Hat or headwear or hat) same ((pivot\$4 near3 (brim or bill)) same light | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 184 | BRS | 3 | ("2045802" "4283798" "6113243").PN. | USPAT |
| 185 | BRS | 0 | "6340234".URPN. | USPAT |
| 186 | BRS | 0 | "6340234".URPN. | USPAT |
| 187 | BRS | 3 | ("2045802" "4283798" "6113243").PN. | USPAT |
| 188 | BRS | 0 | "6340234".URPN. | USPAT |
| 189 | BRS | 2 | "386509".ap. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 190 | BRS | 7253 | 362/103-106,84,184,190,191,800,806,276,234,237,252.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|-----|------|--------|--|---|
| 191 | BRS | 717 | 2/195.1,195.2,209.12.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 192 | BRS | 127 | 40/570.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 193 | BRS | 2655 | 313/318.02,17,25,518,634.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 194 | BRS | 10696 | S190 or S191 or S192 or S193 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 195 | BRS | 623167 | hat or headwear or cap or helmet or (hard near head) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 196 | BRS | 2282 | S194 and S195 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 197 | BRS | 18488 | 7and visor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 198 | BRS | 371 | S196 and visor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 199 | BRS | 441 | S196 and (visor or bill) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 200 | BRS | 187 | S199 and (light or (light near source)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 201 | BRS | 664177 | hat or headwear or cap or helmet or (hard near head) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 202 | BRS | 8820 | 362/103-106,84,184,190,191,800,806,276,234,237,252,551,554-556.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 203 | BRS | 730 | 2/195.1,195.2,209.12.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 204 | BRS | 9543 | S202 or S203 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 205 | BRS | 2066 | S204 and S201 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 206 | BRS | 466 | S205 and (visor or bill) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 207 | BRS | 100 | S205 and ((visor or bill) with (black light)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 208 | BRS | 3939 | ((visor or bill) with (black light)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 209 | BRS | 214 | S206 and (black light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 210 | BRS | 527 | S205 and (visor or bill or brim) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 211 | BRS | 127 | S205 and ((visor or bill or brim) with (black light)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 212 | BRS | 245 | S205 and (visor or bill or brim) and (black light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 213 | BRS | 7 | S205 and (visor or bill or brim) and (black light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 214 | BRS | 0 | (hat or headwear or cap or helmet or (hard near head)) and ((visor or bill or brim) and (black light)).ccls. | US-PGPUB |
| 215 | BRS | 0 | (hat or headwear or cap or helmet or (hard near head)) and ((visor or bill or brim) and (black light)).ccls. | US-PGPUB |

| | | | | |
|-----|-----|---|---|----------|
| 216 | BRS | 0 | (hat or headwear or cap or helmet or (hard near head)) and ((visor or bill or brim) with (black light)).ccls. | US-PGPUB |
|-----|-----|---|---|----------|

| | Type | Hits | Search Text | DBs |
|-----|------|--------|--|--|
| 217 | BRS | 736 | 362/105,106.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 218 | BRS | 664177 | hat or headwear or cap or helmet or (hard near head) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 219 | BRS | 8820 | 362/103- 106,84,184,190,191,800,806,276,234,237,252,551,55 4-556.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 220 | BRS | 730 | 2/195.1,195.2,209.12.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 221 | BRS | 9543 | S219 or S220 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 222 | BRS | 2066 | S221 and S218 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 223 | BRS | 527 | S222 and (visor or bill or brim) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 224 | BRS | 100 | 362/105,106.ccls. and S223 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 225 | BRS | 100 | 362/105,106.ccls. and S223 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |